# SAFETY DATA SHEET

### FOR INDUSTRIAL USE ONLY

## WHITE ACETOXY SEALANT CRTV1482

## Section 1. Product and company identification

Product name

: WHITE ACETOXY SEALANT CRTV1482

Chemical name

Not available

Manufacturer/Importer/

Whole Energy And Hardware Inc 1620 Old Audubon Rd

Distributor Information

Chaska MN 55318

Contact person

Richard K Parris

Telephone

1-800-544-2986

Emergency telephone number

Supplier

1-800-544-2986

Whole Energy and Hardware Inc.

## Section 2. Hazards identification

Classification of the substance or

SKIN CORROSION/IRRITATION - Category 2

mixture

GHS label elements

Hazard pictograms

(!)

Signal word

Warning

Hazard statements

: H315 Causes skin irritation.

#### **Precautionary statements**

General

Not applicable.

Prevention

Wear protective gloves.

Wash hands thoroughly after handling.

Response

: IF ON SKIN:

Wash with plenty of soap and water. Take off contaminated clothing.

Wash contaminated clothing before reuse.

If skin irritation occurs: Get medical attention.

Storage

Not applicable.

Disposal

Not applicable.

Version: 1.0

Date of issue/Date of revision:

04/10/2015

Date of previous issue:

00/00/0000

Other hazards which do not result in classification

Uncured product is irritating to eyes, skin, and respiratory system. Generates acetic acid during cure. Uncured product is irritating to eyes, skin, and respiratory system. Generates acetic acid during

## Section 3. Composition/information on ingredients

Substance/mixture

Mixture

Chemical name

Eye contact

: Not available

Hazardous ingredients	% by weight	CAS number
Silanetriol, 1-methyl-, 1,1,1-triacetate	1 - 5	4253-34-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain

an open airway. Loosen tight clothing such as a collar, tie, belt or

Skin contact : Flush contaminated skin with plenty of water. Remove

contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Ingestion : Wash out mouth with water. Remove dentures if any. Remove

victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an

unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

## Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

No specific treatment.

Version: 1.0

Date of issue/Date of revision:

04/10/2015

Date of previous issue: 00/00/0000

Protection of first aid personnel

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Use dry chemical, CO2, alcohol-resistant foam or water spray (fog).

water jet

Specific hazards arising from the chemical

No specific fire or explosion hazard.

Hazardous thermal decomposition products Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are

formed due to oxidative degradation.

Special protective actions for firefighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece

operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without For non-emergency personnel

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on

appropriate personal protective equipment.

For emergency responders If specialised clothing is required to deal with the spillage, take note

of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

## Methods and material for containment and cleaning up

Small spill Move containers from spill area. Vacuum or sweep up material and

> place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste

disposal.

Move containers from spill area. Approach release from upwind. Large spill Prevent entry into sewers, water courses, basements or confined

areas. Vacuum or sweep up material and place in a designated,

labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see section 8 of SDS). Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### Control parameters

### Occupational exposure limits

Appropriate engineering controls

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is

Date of issue/Date of revision: 04/10/2015

Date of previous issue: 00/00/0000

possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the

gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working

limits of the selected respirator.

## Section 9. Physical and chemical properties

#### Appearance

Physical state : Paste Color : White

Odor : Acetic acid.

Odor threshold : Not available pH : Not applicable.

Melting point : Not applicable.

Boiling point : Not applicable.

Flash point : 93 °C (199.40 °F) (Estimated.)

Burning time : Not available Burning rate : Not available

Evaporation rate :

Flammability (solid, gas) : Not available

Lower and upper explosive : Lower: Not applicable.

(flammable) limits Upper: Not applicable.

Vapor pressure : Not applicable.

Vapor density : Negligible

Relative density : 1.04

**Density** : 1.04 g/cm<sup>3</sup>

Version: 1.0 Date of issue/Date of revision: 04/10/2015 Date of previous issue: 00/00/0000

#### CRTV1482

Solubility

Insoluble

Solubility in water

Insoluble

Partition coefficient: n-

octanol/water

Not available

Auto-ignition temperature

Not available Not available

**Decomposition** temperature SADT

Not available

Viscosity

Dynamic: Not available Kinematic: Not available

Volatile organic content

3.1 % (w/w) 36 g/1

#### Other information

No additional information.

## Section 10. Stability and reactivity

Reactivity

Stable under normal conditions.

Chemical stability

The product is stable.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions

will not occur.

Conditions to avoid

No specific data.

Incompatible materials

No specific data.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Conclusion/Summary

Not determined

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
CRTV1482	Skin -	Rabbit			-
	Moderate				
	irritant				
	OECD-				
	Guideline				
	404 (Acute				
	Dermal				
	Irritation/C				
	orrosion)				
Remarks:	Classification according to test study data of a similar product.				
	eyes - Mild	Rabbit			

	irritant OECD- Guideline 405 (Acute Eye Irritation/C orrosion)	
Remarks:	Classification according to test study data of	f a similar product.

Conclusion/Summary

Skin

Moderate irritant Mild irritant

eyes Respiratory

Not determined

Sensitization

Conclusion/Summary

Skin

Not determined Not determined

Mutagenicity

Respiratory

Conclusion/Summary

Not determined

Carcinogenicity

Conclusion/Summary

Not determined

Reproductive toxicity

Conclusion/Summary

Not determined

**Teratogenicity** 

Conclusion/Summary

Not determined

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Silanetriol, 1-methyl-, 1,1,1-triacetate	Category 3		Respiratory tract irritation

## Specific target organ toxicity (repeated exposure)

Not available

## Aspiration hazard

Not available

Information on the likely routes of : Not available

exposure

## Potential acute health effects

Eye contact

Causes serious eye irritation.

Inhalation

No known significant effects or critical hazards.

Skin contact

Causes skin irritation.

Ingestion

Irritating to mouth, throat and stomach.

## Symptoms related to the physical, chemical and toxicological characteristics

#### CRTV1482

Eye contact

Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation

No specific data.

Skin contact

Adverse symptoms may include the following:

irritation

redness

Ingestion

No specific data.

## Delayed and immediate effects and also chronic effects from short and long term exposure

### Short term exposure

Potential immediate effects

Not available

Potential delayed effects

Not available

## Long term exposure

Potential immediate effects

Not available

Potential delayed effects

Not available

### Potential chronic health effects

Conclusion/Summary

Not determined

General

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Carcinogenicity Mutagenicity Teratogenicity

No known significant effects or critical hazards. No known significant effects or critical hazards.

**Developmental effects** Fertility effects

No known significant effects or critical hazards.

#### Numerical measures of toxicity

### Acute toxicity estimates

Route	ATE value	
Oral	12,935.9 mg/kg	

# Section 12. Ecological information

### **Ecotoxicity**

Conclusion/Summary

Not available

Persistence/degradability

Conclusion/Summary

Not available

04/10/2015

#### Mobility in soil

Soil/water partition coefficient

(KOC)

Other adverse effects

Not available

No known significant effects or critical hazards.

## Section 13. Disposal considerations

#### Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

Special precautions for user

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

# 15. Regulatory information

#### **United States**

U.S. Federal regulations

United States - TSCA 12(b) - Chemical export notification: None

required.

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed

#### SARA 311/312

Classification

: Immediate (acute) health hazard

California Prop. 65:

None required.

#### Canada

Version: 1.0

Date of issue/Date of revision: 04/10/2015

0/2015 Date of previous issue:

00/00/0000

WHMIS (Canada)

Class D-2A: Material causing other toxic effects (Very toxic). Class D-2B: Material causing other toxic effects (Toxic).

## International regulations

International lists

: Australia inventory (AICS): All components are listed or exempted.

Canada inventory: At least one component is not listed in DSL but all such

components are listed in NDSL.

Japan inventory: All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Korea inventory: All components are listed or exempted. New Zealand Inventory (NZIoC): Not determined.

Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): All components are listed or exempted.

United States inventory (TSCA 8b): All components are listed or exempted.

## Section 16. Other information

Hazardous Material Information System III (U.S.A.):

Health	1
Tampout 2	1
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

Full text of abbreviated H

Not applicable.

statements

### History

Date of printing

Date of issue/Date of revision

Date of previous issue

04/10/2015 00/00/0000

08/20/2015

Version

Prepared by Key to abbreviations Product Safety Stewardship

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods

by Rail

UN = United Nations Not available

References

## Notice to reader

Unless otherwise specified in section 1 Products are intended for industrial application only. They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives

Keep out of the reach of children.

## Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date of previous issue: 00/00/0000